What you need to know after a stroke

Check with your Doctor

- Always check with your doctor or pharmacist before taking an over the counter medication
 - Some drugs including antacids, salt substitutes, and allergy pills can worsen conditions
 - Decongestants and other cough and cold medications can sometimes increase blood pressure
- Avoid stopping a medication without talking to your doctor
 - Do not stop taking medications because your blood pressure is normal
 - Adverse effects can occur from stopping a medication



The Ontario government supports a program where you can discuss your prescriptions with a pharmacist to ensure safe use of all of your medications. Your OHIP card is required to use this service. For more information visit: https://www.ontario .ca/page/take-yourmedication-safely



What you need to know after a stroke

BLOOD PRESSURE MEDICATION

Type of Blood Pressure Medication	Some Examples	How it Lowers Blood Pressure	
Beta Blockers	Metoprolol, Atenolol	Slows and relaxes the heart	
Calcium Channel Blockers	Diltiazem (Cardizem) Amlodipine (Norvasc)	Opens up blood vessels	
Diuretics (Water pills)	Hydrochlorothiazide Furosemide (Lasix)	Gets rid of extra fluid and decreases the work of heart	
ACE inhibitors	Ramipril (Altace) Perindopril (Coversyl)	Relaxes blood vessels	
Angiotensin Receptor Blockers (ARBs)	Losartan (Cozaar, Irbesartan (Avapro)	Relaxes blood vessels	

BLOOD THINNERS

Types of Blood Thinners	Examples	How it helps	
Anti-coagulants	Warfarin (Coumadin) Dabigatran (Pradaxa) Rivaroxaban (Xarelto)	Helps prevent blood clotting and harmful clots forming in blood vessels (lower risk of stroke)	
Antiplatelet Agents	Acetylsalicylic acid (ASA) Clopidogrel (Plavix) Dipyridamole (Persantine)	To reduce the risk of harmful blood clots forming in the body	



Toronto Rehabilitation Risk Factor Modification & Exercise Program Following Stroke

What you need to know after a stroke

CHOLESTEROL MEDICATION

Cholesterol Lowering Medications (Statins)	About Statins	Possible Side Effects
Rosuvastatin (Crestor) Pravastatin (Pravachol) Simvastatin (Zocor) Atorvastatin (Lipitor)	Works by preventing the liver from producing too much cholesterol	 Some potential side effects of statins can include: Headaches Nausea Heartburn Constipation Gas/stomach cramps Diarrhea Other side effects can include muscle weakness & muscle/joint pain. Notify your doctor if these symptoms occur Side effects are usually lessened if medication is taken with food
 IMPORTANT REMINDER Report any side effects Know your medications Keep a list in your wallet Take your medications as directed Setting a routine or using blister packs can help 		 In Hospital: Paid for by provincial health plan (OHIP)
 If you are traveling Have your medicarry-on Bring a copy of ECG if available 	cation in you	

CUHN Toronto Rehabilitation

TRI-REPS Toronto Rehabilitation Risk Factor Modification & Exercise Program Following Stroke

What you need to know after a stroke

YOUR PRESCRIPTION

During the current COVID-19 pandemic it is still important that you continue to take your medications as prescribed unless otherwise instructed by your doctor.

Many Pharmacies offer services and have implemented policies to help you get the medications you need and stay safe. There are special operation hours, prescription delivery and online prescription refill services.

SHOPPERS DRUG MART

- The 1st hour of operation everyday is seniors only & 20% off for seniors during that hour
- Online prescription refill
- Delivery options available

REXALL

- The 1st hour of operation everyday is for customers 55+
- Online prescription refill & delivery available via Rexall direct

WAL-MART

 The opening hour of stores is exclusively for seniors (65+), and persons with <u>disabilities</u> or vulnerable conditions

COSTCO

 Tuesdays, Wednesdays, and Thursdays from 8am to 9am are special operation hours for members who are 60+ or who have a <u>physical disability</u>